

白细胞抗原 B 相关转录蛋白 5 抗体

产品货号: mIR9757 英文名称: BAT5 中文名称: 白细胞抗原 B 相关转录蛋白 5 抗体 别 名: D6S82E; G5 antibody HLA B associated transcript 5; NG26; Protein G5; ABHGA HUMAN。 研究领域: 细胞生物 免疫学 抗体来源: Rabbit 克隆类型: Polyclonal 交叉反应: Human, Mouse, Rat, Dog, Pig, Cow, Horse, Sheep, 产品应用: WB=1:500-2000 ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 IF=1:50-200 (石蜡切片需

not yet tested in other applications.

做抗原修复)

optimal dilutions/concentrations should be determined by the end user.



分 ∃	7 :	量	:	63kDa
细胞	定	位	:	细胞膜
性	;	状	:	Lyophilized or Liquid
浓	,	度	:	1mg/ml
免疫	Ž.	原	:	KLH conjugated synthetic peptide derived from human BAT5:61-160/558
亚	:	型	:	IgG
纯化	方	法	:	affinity purified by Protein A
储存	子:	液	:	0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.
at ro	om	ı te	mp	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable erature for at least one month and for greater than a year when kept at -20 °C. When reconstituted .4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

产品介绍 A cluster of genes, BAT1-BAT5, has been localized in the vicinity of the genes for TNF alpha and TNF beta. These genes are all within the human major histocompatibility complex class III region. The protein

PubMed: PubMed



encoded by this gene is thought to be involved in some aspects of immunity.

Subcellular Location:
Membrane; Multipass membrane protein
Similarity:
Belongs to the AB hydrolase superfamily. ABHD16 family.
SWISS:
O95870
Gene ID:
7920
Important Note:
This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic
applications.