

半乳糖凝集素 14 抗体

产品货号: mlR18231

英文名称: LGALS14

中文名称: 半乳糖凝集素 14 抗体

别 名: Charcot Leyden crystal protein 2; Charcot-Leyden crystal protein 2; CLC2; Gal 14; Gal-14; Gal-14; Galectin 14; Galectin-14; Galectin-14; Lectin galactoside binding soluble 14; LGALS14; MGC22235; Placental protein 13 like; Placental protein 13 like; Placental protein 13 like; PPL13; PPL13_HUMAN.

研究领域: 细胞生物 免疫学 信号转导

抗体来源: Rabbit

克隆类型: Polyclonal

交叉反应: Human,

产品应用 : ELISA=1:500-1000 IHC-P=1:400-800 IHC-F=1:400-800 ICC=1:100-500 IF=1:100-500 (石蜡切片需

做抗原修复)

not yet tested in other applications.

optimal dilutions/concentrations should be determined by the end user.

分子量: 16kDa

细胞定位: 细胞核

性 状: Lyophilized or Liquid

浓 度: 1mg/ml



免疫原: KLH conjugated synthetic peptide derived from human LGALS14:2-80/139

亚 型: lgG

纯化方法: affinity purified by Protein A

储存液: 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

保存条件: Store at -20 ° C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20° C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 ° C.

PubMed: PubMed

产品介绍: This gene is predominantly expressed in placenta. The encoded protein belongs to the galectin (galaptin/S-lectin) family. The members of galectin family contain one or two carbohydrate recognition domains, which can bind beta-galactoside. Two alternatively spliced transcript variants encoding distinct isoforms have been observed. [provided by RefSeq, Jul 2008]

Subcellular Location:

Nucleus.

Tissue Specificity:

Highly expressed in placenta.

Similarity:

Contains 1 galectin domain.

SWISS:



applications.

Q8TCE9
Gene ID:
56891
Important Note:
This product as supplied is intended for research use only, not for use in human, therapeutic or diagnosti